

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



1/20

NaPdf1




Figure 1



No. 2 of 20      Atty. docket no. 18-01  
Title: Plant-derived Molecules ... Therefor  
Filing date: February 8, 2002  
Inventors: Anderson et al.  
USSN: 10/072,809

**2/20**

	430	440	450	460	470	480
	CTTTTATTACACTTTAAATAAGTGTGGCACTTCAATCCTTGTGCAATCTTGCACTAAGT					
	490	500	510	520	530	540
	TTATTTGTGTACTTTTAATGAAAATGACCTTCTATGGTCTTTGGTTAAAAAAAAAAAAAA					
541						
A						

**Figure 1 continued**



3/20





Figure 2




4/20

A



B



C




Figure 3




5/20


**A**



**B**




**Figure 4**



6/20

**A**



immature

mature

**B**

bud  
length (mm)

5-10

20-30

40-50

60-70

70-80

kDa

14.4 —

6.5 —



**Figure 5**



7/20




Figure 6





8/20




Figure 7



9/20




Figure 8



No. 10 of 20 Atty. docket no. 18-01  
Title: Plant-derived Molecules ... Therefor  
Filing date: February 8, 2002  
Inventors: Anderson et al.  
USSN: 10/072,809

10/20

NaPdf1	(<400>18)	MARSLCFMAFAILAMMLFVAYEV-----QA-RECKTESNTFPGICITKPP
FST	(<400>20)	MARSLCFMAFAILAMMLFVAYEV-----QA-RECKTESNTFPGICITKPP
TTP3	(<400>21)	MARSIFFMAFLVLAMMLFVTYEV-----EAQQICKAPSQTFFPGLCFMDSS
NTS13	(<400>22)	MANSMRFFATVLLIALLVLTATEMGPMTIAEA-RTCESQSHRFKGPCSRDSN
PPT	(<400>23)	MGRSIRLFATFFLIAMFLSTEMGPMTSAEA-RTCESQSHRFHGTCVRESN
ATPIIIa	(<400>24)	MKLSMRLISAVLIMFIFVATGMGPVT-VEA-RTCESQSHRFKGTCVSASN

NaPdf1	CRKACISEKFTDGHCSKILRRCLCTKPCVFDEKMTKTGAELAEAAKTLAAALLEEEIMDN
FST	CRKACISEKFTDGHCSKLLRRCLCTKPCVFDEKMIKTGAETLVEEAHTLAAALLEEEIMDN
TTP3	CRKYCIKEKFTGGHCSKLQRKCLCTKPCVFDKISSEVKA-TLGEEAKTLSEVVLEEEIMME
NTS13	CATVCLTEGFSGGRCPWIPPRCFCTSPC-----
PPT	CASVCQTEGFIGGNCRAFRRRCFCTRNC-----
ATPIIIa	CANVCHNEGFGVGGNCRGFRRCFCTRHC-----

Figure 9



11/20

Nicotiana alata	Napdf1	-REC-KTESNTFP-GICITKPPCRKACIS-EKFTDGH-CSK--ILRRCLCTKPC-	(<400>8)
Nicotiana tabacum	FST	-REC-KTESNTFP-GICITKPPCRKACIS-EKFTDGH-CSK--LLRRCLCTKPC-	(<400>25)
Lycopersicon esculentum	TPP3	-QIC-KAPSQTFF-GLCFMDSSCRKYCIK-EKFTGGH-CSK--LQKCLCTKPC-	(<400>26)
Solanum tuberosum	P322	-RHC-ESLSHRFK-GPCTRDSNCASVCET-ERFSGGN-CHG-F-RRRCFCTKPC-	(<400>27)
Petunia inflata	PPT	-RTC-ESQSHRFH-GTCVRESNCASVCOT-EGFIGGN-CRA-F-RRRCFCTRNC-	(<400>28)
Glycine max	SE60	-RVC-ESQSHGFH-GLCNRDHCALVCRNE-G-FSGGRCKG-F-RRRCFCTRIC-	(<400>29)
Hordeum vulgare	Y1-H	-RIC-RRRSAGFK-GPCVSNKNCAQVCMQE-G-WGGGNCDDG--PLRRCKMRR-	(<400>30)
Sinapis alba	M2A	pQKLC-QRPSGTWS-GVCGNNNACRNQCINLEKARHGS-CNYVFPKHCICYFPC-	(<400>31)
Solanum tuberosum	PTH-St1	-RNC-ESLSHRFK-GPCTRDSNC-----	(<400>32)
Raphanus sativus	Rs-AFP1	pQKLC-ERPSGTWS-GVCGNNNACRNQCINLEKARHGS-CNYVFPKHCICYFPC-	(<400>33)
Raphanus sativus	Rs-AFP2	pQKLC-QRPSGTWS-GVCGNNNACRNQCINLEKARHGS-CNYVFPKHCICYFPC-	(<400>34)
Sinapis alba	M1	pQKLC-ERPSGTWS-GVCGNNNACRNQCINLEKARHGS-CNYVFPKHCICYFPC-	(<400>35)
Sinapis alba	M2B	pQKLC-ARPSGTWSGNNCRNNACRNFCIKLEKSRHGS-CNIPFSPNKCICYFPC-	(<400>36)
Triticum turgidum	Y1-P	-KIC-RRRSAGFK-GPCMSNKNCAQVCMQE-G-WGGGNCDDG--PFRCKCIRQC-	(<400>37)
Triticum turgidum	Y2-P	-KVC-QRSAGFK-GPCVSDKNCAQVCLQE-G-WGGGNCDDG--PFRCKCIRQC-	(<400>38)
Vigna unguiculata	10kDa	-KTC-ENLVDITYR-GPCFTTGSCDDHCNKEHLLSGR-CR---DDVRCWCTRNC-	(<400>39)
Sorghum bicolor	Sia2	-RVC-MGKSAGFK-GLCMRDQNCQVCLQE-G-WGGGNCDDG--VMRQCKCIRQCW	(<400>40)
Sorghum bicolor	Sia3	-RVC-RRRSAGFK-GLCMSDNCAQVCLQE-G-WGGGNCDDG--VIPQCKCIRQCW	(<400>41)
Dalia merckii	Dm-AMP2	-EVC-EKASKTWS-GNCGNTGHC-----	(<400>42)
Sorghum bicolor	Sia1	-RVC-MKGSQHHS-FPCISDRLCSECVKEGGWTAGYCH----LYCRCQKAC-	(<400>43)
Pisum sativum	P1230	-NTC-ENLAGSYK-GVCF--GGCDRHCRTOEGALISGR-CR---DDFRCWCTKNC-	(<400>44)
Aesculus hippocastanum	Ah-AMP1	--LCNERPSQTWS-GNCGNTAHCDDKQCDWEKASHGA-CHKRENHWKCFCYFNC-	(<400>45)
Heuchera sanguinea	Hs-AFP1	-KLC-DVPSGTWS-GHCGSSSKCSQQCKDREHFAYGGACHYQFSPVKCFCKRQC-	(<400>46)
Dalia merckii	Dm-AMP1	-ELC-EKASKTWS-GNCGNTGHCDDNQCCKSWEGAAGHA-CHVRNGKHMCFCYFNC-	(<400>47)
Pisum sativum	P139	-NTC-EHLADITYR-GVCFNTASCDDHCNKAHLISGT-CH----DWKCFCTQNC-	(<400>48)
Clitoria ternatea	Ct-AMP1	-NLC-ERASLTWT-GNCGNTGHCDDTQCRNWESAKHGA-CHKRGN-WKCFCYFNC-	(<400>49)

Figure 10



12/20




Figure 11



13/20




Figure 12



14/20




Figure 12 continued



15/20




Figure 13





16/20





Figure 14



17/20

*H. punctigera* bioassay with transgenic tobacco




Figure 15



18/20

*H. armigera* bioassay with transgenic tobacco




Figure 15 continued



19/20




Figure 16



20/20




Figure 17